



久 菘 科 技 股 份 有 限 公 司  
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.

TEL:+886-3-5687918

FAX:+886-3-5686953

E-mail:service@ep.com.tw

<http://www.ep.com.tw>

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802.11b/g Omni Directional Antenna**

Part Number: **1GP-2409-3**

Date: **2008-09-30**

-----

Customer Evaluation:

**PASS**

**NG**

Approved Date:

-----

Evertime Communication Approved By : \_\_\_\_\_ Date:

Evertime Communication Prepared By : \_\_\_\_\_ Date:

-----

Evertime Communications Co., Ltd.

# Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

## Electrical Specification:

Frequency	2.4~2.5GHz
Part Number	1GP-2409-3
Polarization	Linear
V.S.W.R.	1 : 1.3 Max
Impedance	50 OHMS $\pm 5\Omega$
Gain	9 dBi
Power handling	15W Max
Front to back ratio	N/A
HPBW / horizontal	360°
HPBW / vertical	10°
Rated Wind	3.0 lbs. (1.4 kg)
Operating Temperature	-20°C~60°C

## MECHANICAL SPECIFICATION

Connector Type	N Type male
Length	$\varphi 35 \times 400\text{mm}$
Weight	175g
Radome color	white
Radome material	glass fiber

# Omni Directional Antenna


for 2.4~2.5GHz

Version 1

1GP-2409-3

S11 FORWARD REFLECTION

LOG MAGNITUDE      REF=0.000 dB      10.000 dB/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

▶ MARKER 1  
2.450000000 GHz  
-24.549 dB

MARKER TO MAX  
MARKER TO MIN


2 2.400000000 GHz  
-20.609 dB

3 2.500000000 GHz  
-20.380 dB

MARKER READOUT  
FUNCTIONS

S11 FORWARD REFLECTION

SWR      REF=1.000 U      10.000 U/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

▶ MARKER 1  
2.450000000 GHz  
1.128 U

MARKER TO MAX  
MARKER TO MIN

2 2.400000000 GHz  
1.231 U

3 2.500000000 GHz  
1.236 U

MARKER READOUT  
FUNCTIONS


# Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

## H-PLANE FIELD PATTERNS




# Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

## E-PLANE FIELD PATTERNS



# Omni Directional Antenna

for 2.4~2.5GHz

Version 1

1GP-2409-3

