



久 菘 科 技 股 份 有 限 公 司  
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.

TEL:+886-3-5687918

FAX:+886-3-5686953

E-mail:epbv4nl@ms15.hinet.net

<http://www.ep.com.tw>

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802.11b Directional Panel Antenna**

Part Number: **1PG-24003**

Date: **2006-01-11**

-----

Customer Evaluation:

PASS

NG

Approved Date:

-----

Evertime Communication Approved By : \_\_\_\_\_ Date:

Evertime Communication Prepared By : \_\_\_\_\_ Date:

-----

Evertime Communications Co., Ltd.

# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-24003

## Electrical Specification:

Frequency	2.4~2.5GHz
Part Number	1PG-24003
Polarization	Linear
V.S.W.R.	1 : 1.5 Max
Impedance	50 OHMS $\pm 5 \Omega$
Gain	15 dBi
Power handling	10W Max
Front to back ratio	25dB
HPBW / horizontal	45°
HPBW / vertical	25°

## MECHANICAL SPECIFICATION

Connector Type	N Type Female
Length	454*134*30mm
Weight	800g
Radome color	WHITE
Radome material	PVC

# Directional Panel Antenna

## for 2.4~2.5GHz

Version 1


### 1PG-24003

S11 FORWARD REFLECTION

LOG MAGNITUDE

REF=0.000 dB

10.000 dB/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

MARKER 4  
2.300000000 GHz  
-10.331 dB

MARKER TO MAX  
MARKER TO MIN

- 1 2.400000000 GHz  
-18.183 dB
- 2 2.450000000 GHz  
-24.285 dB
- 3 2.500000000 GHz  
-16.557 dB


MARKER READOUT  
FUNCTIONS

S11 FORWARD REFLECTION

SWR

REF=0.000 pU

10.000 U/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

MARKER 4  
2.300000000 GHz  
1.879 U

MARKER TO MAX  
MARKER TO MIN

- 1 2.400000000 GHz  
1.282 U
- 2 2.450000000 GHz  
1.131 U
- 3 2.500000000 GHz  
1.348 U

MARKER READOUT  
FUNCTIONS


# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-24003

## H-PLANE FIELD PATTERNS




# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-24003

## E-PLANE FIELD PATTERNS





# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-24003



N TYPE FEMALE

