



久 菘 科 技 股 份 有 限 公 司  
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.  
TEL:+886-3-5687918 FAX:+886-3-5686953

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802.11b Directional Panel Antenna**

Part Number: **1PG-2421A**

Date: **2008-07-14**

-----

Customer Evaluation:

**PASS**

**NG**

Approved Date:

-----

Evertime Communication Approved By : \_\_\_\_\_ Date:

Evertime Communication Prepared By : \_\_\_\_\_ Date:

-----

Evertime Communications Co., Ltd.

# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-2421A

## Electrical Specification:

Frequency	2.4~2.5GHz
Part Number	1PG-2421A
Polarization	Linear
V.S.W.R.	1 : 1.3 Max
Impedance	50 OHMS $\pm 5 \Omega$
Gain	21 dBi
Power handling	20W Max
Front to back ratio	35dB
HPBW / horizontal	20°
HPBW / vertical	15°
Rated Wind	3.0 lbs. (1.4 kg)
Operating Temperature	-20°C~60°C

## MECHANICAL SPECIFICATION

Connector Type	N Type Female
Length	370*370*35mm
Weight	2.1Kg
Radome color	WHITE
Radome material	PVC


# Directional Panel Antenna

## for 2.4~2.5GHz

Version 1

### 1PG-2421A

S11 FORWARD REFLECTION



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm


MARKER 2  
2.450000000 GHz  
-30.195 dB

MARKER TO MAX  
MARKER TO MIN

1 2.400000000 GHz  
-25.011 dB  
3 2.500000000 GHz  
-21.255 dB

MARKER READOUT  
FUNCTIONS

S11 FORWARD REFLECTION



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

MARKER 2  
2.450000000 GHz  
1.077 U

MARKER TO MAX  
MARKER TO MIN

1 2.400000000 GHz  
1.136 U  
3 2.500000000 GHz  
1.182 U

MARKER READOUT  
FUNCTIONS


# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-2421A

## H-PLANE FIELD PATTERNS




# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-2421A

## E-PLANE FIELD PATTERNS



# Directional Panel Antenna

for 2.4~2.5GHz

Version 1

1PG-2421A

