



久 菘 科 技 股 份 有 限 公 司  
EVERTIME COMMUNICATIONS CO., LTD.

NO. 23-2, HUNGMAU, HSIN-FENG VILLAGE, SHING-FENG SHIANG, HSIN-CHU, TAIWAN, R.O.C.

TEL:+886-3-5687918

FAX:+886-3-5686953

E-mail: service@ep.com.tw

<http://www.ep.com.tw>

承 認 書

SPECIFICATION FOR APPROVAL

Customer :

Product Description: **802.11a Directional Sector Antenna**

Part Number: **1SC-4915**

Date: **2008-09-08**

-----

Customer Evaluation:

PASS

NG

Approved Date:

-----

Evertime Communication Approved By : \_\_\_\_\_ Date:

Evertime Communication Prepared By : \_\_\_\_\_ Date:

-----

Evertime Communications Co., Ltd.

# Directional Sector Antenna

for 4.8~5.0GHz

Version 1

1SC-4915

## Electrical Specification:

Frequency	4.9~5.0GHz
Part Number	1SC-4915
Polarization	Linear
V.S.W.R.	1 : 1.3 Max
Impedance	50 OHMS $\pm 5 \Omega$
Gain	15 dBi
Power handling	15W Max
Front to back ratio	30dB
HPBW / horizontal	120°
HPBW / vertical	10°
Rated Wind	3.0 lbs. (1.4 kg)
Operating Temperature	-20°C~60°C

## MECHANICAL SPECIFICATION

Connector Type	N Type Female
Length	370 x 130 x 65mm
Weight	2.4Kg
Radome color	Gray-white
Radome material	ABS

# Directional Sector Antenna


## for 4.8~5.0GHz

Version 1

### 1SC-4915

S11 FORWARD REFLECTION

LOG MAGNITUDE      REF=0.000 dB      10.000 dB/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

▶ MARKER 1  
4.800000000 GHz  
-20.503 dB


MARKER TO MAX  
MARKER TO MIN

2 4.900000000 GHz  
-26.901 dB  
3 5.000000000 GHz  
-17.512 dB

MARKER READOUT  
FUNCTIONS

S11 FORWARD REFLECTION

SWR      REF=0.000 pU      10.000 U/DIV



CH 1 - S11  
REFERENCE PLANE  
0.0000 mm

▶ MARKER 1  
4.800000000 GHz  
1.287 U

MARKER TO MAX  
MARKER TO MIN

2 4.900000000 GHz  
1.087 U  
3 5.000000000 GHz  
1.297 U

MARKER READOUT  
FUNCTIONS


# Directional Sector Antenna

for 4.8~5.0GHz

Version 1

1SC-4915

## H-PLANE FIELD PATTERNS




# Directional Sector Antenna

for 4.8~5.0GHz

Version 1

1SC-4915

## E-PLANE FIELD PATTERNS



# Directional Sector Antenna

for 4.8~5.0GHz

Version 1

1SC-4915

